



Heron Joinery®

2 St. Patrick's Street, Draperstown, BT45 7AL

DECLARATION OF CONFORMANCE

DoC N°: HJ/SSSBW

Product Type:	Timber Sliding Sash Spiral Balance Window
Intended Use:	For use in domestic and commercial premises Not intended for use on escape route
Declared System of Assessment Performance:	3
Provisions to which the Product Conforms:	Annex ZA of BS EN 14351-1:2006+A1:2010
Reference to Supporting Product Certification and/or Test Reports (<i>supportive of compliance</i>):	Weather Tightness Report Chilt/P09014/01 Thermal Performance Report DG SSSB 58

Declared Performance:

Essential Characteristics

Resistance to Wind Load:

Watertightness:

Dangerous Substance:

Load Bearing Capacity of Safety Device:

Acoustic Performance

Thermal Transmittance:

Radiation Properties:

Air Permeability:

Performance

Class 5

Class 9A

No emissions of dangerous substances emitted

XXX N

Npd

1.5 W/m².K (and better)

Npd

Class 4

This declaration of performance is issued under the sole responsibility of the manufacturer Heron Joinery.

Signed for and on behalf of the Company by

Name of Representative: Martin Blaney

Job Title: General Manager

Representative Signature:

Date of Issue: 10th June 2013

Product CE Marking Detail:

