

2 St. Patrick's Street, Draperstown, BT45 7AL

DECLARATION OF CONFORMANCE

DoC No: HJ/SCWW

Product Type: Timber Sliding Sash Cords and Weights Window

Intended Use: For use in domestic and commercial premises

Not intended for use on escape route

Weather Tightness Report Chilt/P11162/01

Declared System of Assessment Performance:

Provisions to which the Product Conforms:

Annex ZA of BS EN 14351-1:2006+A1:2010

Reference to Supporting Product Certification and/or

Test Reports (supportive of compliance): Thermal Performance Report DG SSCW 58

Declared Performance:

Essential Characteristics Performance

Resistance to Wind Load: Class CE2800

Watertightness: Class 9A

Dangerous Substance: No emissions of dangerous substances emitted

Load Bearing Capacity of Safety Device: XXX N

Acoustic Performance Npd

Thermal Transmittance: 1.5 W/m².K (and better)

Radiation Properties: Npd
Air Permeability: Class 3

This declaration of performance is issued under the sole responsibility of the manufacturer Heron Joinery.

Signed for and on behalf of the Company by

Name of Representative: Martin Blaney Job Title: General Manager

Representative Signature: Date of Issue: 10th June 2013

Product CE Marking Detail:



Heron Joinery

Draperstown, BT45 7AL

13

BS EN 13451-1:2006+A1:2010

Timber Sliding Sash Cords and Weights Window

Not intended for use on escape route