



Heron Joinery®

2 St. Patrick's Street, Draperstown, BT45 7AL

DECLARATION OF CONFORMANCE

DoC No: HJ/TSW

Product Type:	Timber Tilt and Slide Window
Intended Use:	For use in domestic and commercial premises Not intended for use on escape route
Declared System of Assessment Performance:	3
Provisions to which the Product Conforms:	Annex ZA of BS EN 14351-1:2006+A1:2010
Reference to Supporting Product Certification and/or Test Reports <i>(supportive of compliance):</i>	Weather Tightness Report Chilt/P09014/02 Thermal Performance Report DG TS58

Declared Performance:

Essential Characteristics

	Performance
Resistance to Wind Load:	Class 5
Watertightness:	Class 8A
Dangerous Substance:	No emissions of dangerous substances emitted
Load Bearing Capacity of Safety Device:	XXX N
Acoustic Performance	Npd
Thermal Transmittance:	1.5 W/m ² .K (and better)
Radiation Properties:	Npd
Air Permeability:	Class 4

This declaration of performance is issued under the sole responsibility of the manufacturer Heron Joinery.

Signed for and on behalf of the Company by

Name of Representative: Martin Blaney

Job Title: General Manager

Representative Signature:

Date of Issue: 10th June 2013

Product CE Marking Detail:

